

	Type	Hits	Search Text	DBs
1	IS&R	15	((("5101326") or ("5580156") or ("6367949") or ("6380865") or ("6424269") or ("6461008") or ("6462669") or ("6469631") or ("6472996"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	9	((("5101326") or ("5580156") or ("6367949") or ("6380865") or ("6424269") or ("6461008") or ("6462669") or ("6469631") or ("6472996"))).PN.	USPAT
3	BRS	439673	(light adj emitt\$5 adj diod\$4) or LED\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	62233	heat near4 sink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	507	lens with (total adj internal adj reflec\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	5380	((light adj emitt\$5 adj diod\$4) or LED\$3) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	11	(lens with (total adj internal adj reflec\$5)) and (((light adj emitt\$5 adj diod\$4) or LED\$3) and (heat near4 sink))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	439673	(light adj emitt\$5 adj diod\$4) or LED\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	507	lens with (total adj internal adj reflec\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	62233	heat near4 sink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1258	lens same (total adj internal adj reflec\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	29	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflec\$5)) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	373	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflec\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	346194	(emergency or signal) with (light or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	196	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflec\$5)) and ((emergency or signal) with (light or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	13	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflec\$5)) and ((emergency or signal) with (light or lamp))) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	27	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflec\$5)) and ((emergency or signal) with (light or lamp))) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	30900	((emergency or signal) with (light or lamp)) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	6814	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	15	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens with (total adj internal adj reflec\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	1669	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and 340/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1	(lens same (total adj internal adj reflec\$5)) and (((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and 340/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
23	BRS	579	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)) and 362/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	15	(lens same (total adj internal adj reflec\$5)) and (((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)) and 362/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	373661	((emergency or signal) with (light or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	7774	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer and (constant with current with step with up with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	636	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	45	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer and (constant adj current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	6	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer and (constant adj current) and (step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	3	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and (direct adj current) and transformer and (constant adj current) and (step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and (constant with current with step with up) and (direct adj current adj power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and ((constant with current with step with up) with (direct adj current))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	0	((direct adj current) or "DC") with (Constant adj current adj steo adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	((direct adj current) or "DC") same (Constant adj current adj steo adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	1	((direct adj current) or "DC") with (Constant adj current adj step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1	((direct adj current) or "DC") same (Constant adj current adj step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	5	((direct adj current) or "DC") and (Constant adj current adj step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	((direct adj current) or "DC") and (Constant adj current adj step adj up)) and (((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	905	current near feedback near circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	478690	(light adj emitt\$5 adj diod\$4) or LED\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	80	(current near feedback near circuit) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
43	BRS	1	(constant near current near step near up) near3 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	154	(constant with current with step with up) with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	25	((constant with current with step with up) with circuit) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	59	362/545.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	21	362/540.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	11	362/541.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	5	362/542.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	14	362/547.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	20	362/543.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	29	362/544.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	8	362/493.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	6	362/496.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	15	362/236.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	47	362/240.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	9	362/237.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	20	362/241.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	14	362/245.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	19	362/244.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	18	362/247.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	12	362/327.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	147	362/800.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	55	362/294.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	28	340/815.4.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	30	340/815.45.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	9	340/471.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	3	340/472.ccls. and @pd > "20030501"	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	IS&R	15	((("5101326") or ("5580156") or ("6367949") or ("6380865") or ("6424269") or ("6461008") or ("6462669") or ("6469631") or ("6472996"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	9	((("5101326") or ("5580156") or ("6367949") or ("6380865") or ("6424269") or ("6461008") or ("6462669") or ("6469631") or ("6472996"))).PN.	USPAT
3	BRS	439673	(light adj emitt\$5 adj diod\$4) or LED\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	62233	heat near4 sink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	507	lens with (total adj internal adj reflc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	5380	((light adj emitt\$5 adj diod\$4) or LED\$3) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	11	(lens with (total adj internal adj reflc\$5)) and (((light adj emitt\$5 adj diod\$4) or LED\$3) and (heat near4 sink))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	439673	(light adj emitt\$5 adj diod\$4) or LED\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	507	lens with (total adj internal adj reflc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	62233	heat near4 sink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1258	lens same (total adj internal adj reflc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	29	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflc\$5)) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	373	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	346194	(emergency or signal) with (light or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	196	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflc\$5)) and ((emergency or signal) with (light or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	13	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflc\$5)) and ((emergency or signal) with (light or lamp))) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	27	((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens same (total adj internal adj reflc\$5)) and ((emergency or signal) with (light or lamp))) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	30900	((emergency or signal) with (light or lamp)) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	6814	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	15	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and (lens with (total adj internal adj reflc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	1669	((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and 340/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1	(lens same (total adj internal adj reflc\$5)) and (((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and 340/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
23	BRS	579	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)) and 362/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	15	(lens same (total adj internal adj reflec\$5)) and (((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)) and 362/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	373661	((emergency or signal) with (light or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	7774	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer and (constant with current with step with up with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	636	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	45	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer and (constant adj current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	6	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and transformer and (constant adj current) and (step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	3	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and (direct adj current) and transformer and (constant adj current) and (step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and (constant with current with step with up) and (direct adj current adj power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	(((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3) and ((constant with current with step with up) with (direct adj current))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	0	((direct adj current) or "DC") with (Constant adj current adj steo adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	((direct adj current) or "DC") same (Constant adj current adj steo adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	1	((direct adj current) or "DC") with (Constant adj current adj step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1	((direct adj current) or "DC") same (Constant adj current adj step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	5	((direct adj current) or "DC") and (Constant adj current adj step adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	((((direct adj current) or "DC") and (Constant adj current adj step adj up)) and (((((emergency or signal) with (light or lamp)) and vehicle) and ((light adj emitt\$5 adj diod\$4) or LED\$3))	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB
40	BRS	905	current near feedback near circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	478690	(light adj emitt\$5 adj diod\$4) or LED\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	80	(current near feedback near circuit) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
43	BRS	1	(constant near current near step near up) near3 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	154	(constant with current with step with up) with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	25	((constant with current with step with up) with circuit) and ((light adj emitt\$5 adj diod\$4) or LED\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	106667	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	63448	heat near4 sink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	8101	total adj internal adj reflect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	2540	light adj bar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	505	(light adj bar) and (light adj emit\$5 adj diod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	1	((light adj bar) and (light adj emit\$5 adj diod\$3)) and (heat near4 sink) and (total adj internal adj reflect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	27	((light adj bar) and (light adj emit\$5 adj diod\$3)) and (heat near4 sink)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	12	(light adj emit\$5 adj diod\$3) and (total adj internal adj reflect\$5) and (light adj bar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	8	("2215900" "2224178" "2254961" "2254962" "4255042" "4734839" "4767172" "4770514").PN.	USPAT
10	BRS	6	("1977689" "2215900" "2683394" "3330190" "4255042" "4257672").PN.	USPAT
11	BRS	40	4767172.URPN.	USPAT
12	BRS	40	4767172.URPN.	USPAT
13	BRS	55	(light adj emit\$5 adj diod\$3) and (heat near4 sink) and (total adj internal adj reflect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	IS&R	2	("4767172").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1450720	wo 200271417.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	1450724	wo 271417.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	106667	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	136685	current with control with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	7270	flash with control with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	1	((step near2 up) with dc with conversion) and (current with control with circuit) and (flash with control with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	29	((step near2 up) with dc with conversion) and (current with control with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	4	(light adj emit\$5 adj diod\$3) and ((step near2 up) with dc with conversion) and (current with control with circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	4	(light adj emit\$5 adj diod\$3) and ((step near2 up) with dc with conversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	102	(step near2 up) with dc with conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	2	("5084804").PN.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
26	BRS	3	167814.ap.	USPAT; US-PGPUB; EP ; JP ; DERWENT; IBM_TDB
27	BRS	137177	current with control with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	107127	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	7293	flash with control with circuit	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
30	BRS	103	((step near2 up) with dc with conversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	63	(step near2 up) with (dc near3 dc) with conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	4	(light adj emit\$5 adj diod\$3) and (((step near2 up) with dc with conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	29	(current with control with circuit) and (((step near2 up) with dc with conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	1	(current with control with circuit) and (flash with control with circuit) and (((step near2 up) with dc with conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	2631	(dc near3 dc) with conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	147	(light adj emit\$5 adj diod\$3) and ((dc near3 dc) with conversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	2	((light adj emit\$5 adj diod\$3) and ((dc near3 dc) with conversion)) and (current with control with circuit)) and (flash with control with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	72	((light adj emit\$5 adj diod\$3) and ((dc near3 dc) with conversion)) and (current with control with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	656	(light adj emit\$5 adj diod\$3) and 363/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1	(light adj emit\$5 adj diod\$3) and ((step near2 up) with (dc near3 dc) with conversion) and 362/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	0	(light adj emit\$5 adj diod\$3) and ((step near2 up) with (dc near3 dc) with conversion) and 363/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1	(light adj emit\$5 adj diod\$3) and ((step near2 up) with (dc near3 dc) with conversion) and 315/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	4	(current with control with circuit) and (light adj emit\$5 adj diod\$3) and (((step near2 up) with dc with conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	0	20030058595.URPN.	USPAT
45	BRS	0	20030058595.URPN.	USPAT
46	BRS	0	20030058595.URPN.	USPAT
47	BRS	137177	current with control with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	107127	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	7293	flash with control with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	103	((step near2 up) with dc with conversion)	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB
51	BRS	29	pederson-john-c.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	0	((step near2 up) with dc with conversion)) and pederson-john-c.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	(flash with control with circuit) and pederson-john-c.in.	USPAT; US-PGPUB; EP ; JP ; DERWENT; IBM_TDB
54	BRS	1	(current with control with circuit) and pederson-john-c.in.	USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
55	BRS	4	(light adj emit\$5 adj diod\$3) and (((step near2 up) with dc with conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	0	20030058595.URPN.	USPAT
57	BRS	0	20020159270.URPN.	USPAT
58	BRS	60	(step near2 up) with (dc near2 dc) with conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	3	(light adj emit\$5 adj diod\$3) and ((step near2 up) with (dc near2 dc) with conversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	852	(step near2 up) with (dc near2 dc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	((step near2 up) with (dc near2 dc)) and 315\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	59	((step near2 up) with (dc near2 dc)) and 315\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	(flash with control with circuit) and ((current with control with circuit) and ((light adj emit\$5 adj diod\$3) and (((step near2 up) with (dc near2 dc)) and 315\$.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	6	(current with control with circuit) and ((light adj emit\$5 adj diod\$3) and (((step near2 up) with (dc near2 dc)) and 315\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	1	(current with control with circuit) and (light adj emit\$5 adj diod\$3) and (flash with control with circuit) and (((step near2 up) with dc with conversion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	5	("3869641" "4673865" "4965561" "5575459" "6285140").PN.	USPAT
67	BRS	1	6359392.URPN.	USPAT
68	BRS	12	(light adj emit\$5 adj diod\$3) and (((step near2 up) with (dc near2 dc)) and 315\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	107371	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	4	((step near2 up) with (dc near2 dc)) and 315\$.ccls. and flashlight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	IS&R	0	(0071417).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	worsdell-anthony.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1	worsdell-anthony-william.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	IS&R	2	("6458882").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	IS&R	2	("6158882").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	107371	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	44	current adj feedback adj control adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	2	(light adj emit\$5 adj diod\$3) and (current adj feedback adj control adj circuit)	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB
79	BRS	50	(constant adj current) with (step adj up) with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	107371	light adj emit\$5 adj diod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
81	BRS	7	((constant adj current) with (step adj up) with circuit) and (light adj emit\$5 adj diod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	3511	(constant adj current) and (light adj emit\$5 adj diod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	41	((constant adj current) with (step adj up) with circuit) and ((power adj supply) or battery or "dc")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	7	(light adj emit\$5 adj diod\$3) and (((constant adj current) with (step adj up) with circuit) and ((power adj supply) or battery or "dc"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	BRS	1601	(light adj emit\$5 adj diod\$3) and "DC" and (constant adj current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	125	(light adj emit\$5 adj diod\$3) and "DC" and ((constant adj current) adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	IS&R	2	((("6429581") or ("6158882")).PN.	USPAT